ELSEVIER

Discrete Mathematics 154 (1996) 329–330

DISCRETE MATHEMATICS

Author index to volume 154 (1996)

Barcia, P., see J.O. Cerdeira (1–3) 255–261
Bousquet-Mélou, M., A method for the enumeration of various classes of column-convex polygons (1–3) 1– 25
Brown, J.I. and S. Watson, The number of complements of a topology on n points is at least 2^n (except for some special cases) (1–3) 27– 39
Cerdeira, J.O. and P. Barcia, Ordered matroids and regular independence systems (*Note*) (1–3) 255–261
Chew, K.H., Total chromatic number of regular graphs of odd order and high degree (1–3) 41– 51
Erdős, P., A. Gyárfás and T. Łuczak, Graphs in which each C_4 spans K_4 (*Note*) (1–3) 263–268
Gerth III, F., Some probabilities for eigenvalues of matrices with entries in finite fields (*Note*) (1–3) 269–275
Grabner, P.J., R.F. Tichy and U.T. Zimmermann, Inequalities for the gamma function with applications to permanents (1–3) 53– 62
Guelzow, A.J., Representation of finite nilpotent squags (1–3) 63– 76
Gvozdjak, P. and J. Nešetřil, High girth and extendability (1–3) 77– 84
Gyárfás, A., see P. Erdős (1–3) 263–268
Heath, J. and A.J.W. Hilton, At most k-to-1 mappings between graphs, II (1–3) 85–102
Hilton, A.J.W., see J. Heath (1–3) 85–102
Hougardy, S., Even pairs and the strong perfect graph conjecture (*Note*) (1–3) 277–278
Huffman, W.C., The equivalence of two cyclic objects on pq elements (1–3) 103–127
Jacob, H. and H. Meyniel, About quasi-kernels in a digraph (*Note*) (1–3) 279–280
Jansen, K., A rainbow about T-colorings for complete graphs (1–3) 129–139
Koh, K.M. and B.P. Tan, Number of 4-kings in bipartite tournaments with no 3-kings (*Note*) (1–3) 281–287
Koh, K.M. and C.P. Teo, Chromaticity of series–parallel graphs (*Note*) (1–3) 289–295
Kulkarni, D.M., Counting of paths and coefficients of the Hilbert polynomial of a determinantal ideal (1–3) 141–151
Li, X. and H. Zhang, A solution to Gutman's problem on the characteristic polynomial of a bipartite graph (*Note*) (1–3) 297–300
Lu, T., The enumeration of trees with and without given limbs (1–3) 153–165
Łuczak, T., see P. Erdős (1–3) 263–268
Macris, N. and J.V. Pulé, An alternative formula for the number of Euler trails for a class of digraphs (*Note*) (1–3) 301–305
Maschlanka, P. and L. Volkmann, Independence number in n-extendable graphs (1–3) 167–178
McGuinness, S., On bounding the chromatic number of L-graphs (1–3) 179–187
McMorris, F.R. and H.M. Mulder, Subpath acyclic digraphs (1–3) 189–201
Meshulam, R., On products of projections (*Note*) (1–3) 307–310
Meyniel, H., see H. Jacob (1–3) 279–280
Mulder, H.M., see F.R. McMorris (1–3) 189–201
Naiman, D.Q. and H.P. Wynn, Independence number and the complexity of families of sets (1–3) 203–216
Nešetřil, J., see P. Gvozdjak (1–3) 77– 84
Pfaltz, J.L., Closure lattices (1–3) 217–236
Prömel, H.J. and A. Steger, Counting H-free graphs (*Note*) (1–3) 311–315
Pulé, J.V., see N. Macris (1–3) 301–305

Schulte, U., Constructing trees in bipartite graphs (*Note*)	(1–3) 317–320
Steger, A., see H.J. Prömel	(1–3) 311–315
Tan, B.P., see K.M. Koh	(1–3) 281–287
Tan, N.D., Cubic (m, n)-metacirculant graphs which are not Cayley graphs	(1–3) 237–244
Teo, C.P., see K.M. Koh	(1–3) 289–295
Tichy, R.F., see P.J. Grabner	(1–3) 53– 62
Tkáč, M., On the shortness exponent of 1-tough, maximal planar graphs (*Note*)	(1–3) 321–328
Volkmann, L., see P. Maschlanka	(1–3) 167–178
Watson, S., see J.I. Brown	(1–3) 27– 39
Wynn, H.P., see D.Q. Naiman	(1–3) 203–216
Zhang, C.-Q., Nowhere-zero 4-flows and cycle double covers	(1–3) 245–253
Zhang, H., see X. Li	(1–3) 297–300
Zimmermann, U.T., see P.J. Grabner	(1–3) 53– 62